



PRODUCT RANGE

CATERPILLAR (CAT)

PRODUCT RANGE – CATERPILLAR (CAT)

Cyl. Ø	Stroke	Engine code	Piston		Piston ring set	
			OE no. *	Kolbenschmidt no.	OE no. *	Kolbenschmidt no.
77 mm	81 mm	C1.1	444-7907 (STD)	41 528 600 (STD)	290-8458 (STD)	8001 079 10000 (STD)
		C1.6		41 528 620 (+0,5)		8001 079 10050 (+0,5)
84 mm	90 mm	3014	515-3484 (STD)	41 529 600 (STD)	154-0943 (STD)	8001 082 10000 (STD)
		3013	293-5884 (STD)	41 529 620 (+0,5)		8001 082 10050 (+0,5)
	3013C					
	C1.5					
	100 mm	C 2.2	297-3080 (STD)	40 253 600 (STD)	217-1456 (STD)	8000 594 10000 (STD)
		3024		40 253 620 (+0,5)	(154-0943 (STD))	8000 594 10050 (+0,5)
	3024 C	270-6968 (STD)	41 530 600 (STD)	485-0005 (STD)	8001 081 10000 (STD)	
	C2.2		41 530 620 (+0,5)	270-6970 (STD)	8001 081 10050 (+0,5)	
3013C						
3024						
3024 C						
C2.2						
C1.5						
99 mm	110 mm	C3.4 B	390-3112 (STD)	40 752 600 (STD)	390-3115 (STD)	8000 749 10000 (STD)
				40 752 630 (+0,4)		8000 749 10040 (+0,4)
105 mm	127 mm	3054 C	233-7232 (STD)	40 235 600 (STD)	233-7231 (STD)	8000 564 10000 (STD)
		3054 E	288-9942 (+0,5)	40 235 610 (+0,5)	334-1996 (+0,5)	8000 564 10050 (+0,5)
		C4.4				
		C3.3				
	3054 C	225-5437 (STD)	40 234 600 (STD)	225-5436 (STD)	8000 565 10000 (STD)	
	3054 E	288-1394 (+0,5)	40 234 610 (+0,5)	334-2319 (+0,5)	8000 565 10050 (+0,5)	
	C4.4					
	C3.3 T					
	3054 C	508-1900 (STD)	40 529 600 (STD)	276-7476 (STD)	8001 198 10000 (STD)	
	C4.4	315-3395 (STD)				
	C4.4 T					
	C4.4 TA					
C4.4 ACERT	310-9905 (STD)	40 515 600 (STD)	276-7476 (STD)	8001 198 10000 (STD)		
C4.4 T	396-4516 (+0,5)	40 515 610 (+0,5)	380-2065 (+0,5)	8001 198 10050 (+0,5)		
C4.4 TA						
C4.4	360-3987 (STD)	40 991 600 (STD)	360-2028 (STD)	8001 198 10000 (STD)		
	361-5409 (+0,5)	40 991 610 (+0,5)	449-2818 (+0,5)	8001 198 10050 (+0,5)		
C4.4 T	310-9269 (STD)	40 040 600 (STD)	276-7476 (STD)	8001 198 10000 (STD)		
C4.4 TA	276-7475 (STD)					
C6.6						
C6.6	282-2224 (STD)	40 041 600 (STD)	276-7476 (STD)	8001 198 10000 (STD)		
C6.6	361-2486 (STD)	40 912 600 (STD)	360-2028 (STD)	8001 198 10000 (STD)		
C4.4	365-2821 (STD)					
	361-2590 (+0,5)	40 912 610 (+0,5)	449-2818 (+0,5)	8001 198 10050 (+0,5)		
	361-5411 (+0,5)					
	135 mm	C7.1	361-2460 (STD)	40 990 600 (STD)	360-2028 (STD)	8001 198 10000 (STD)
			493-1992 (STD)			
		361-5413 (+0,5)	40 990 610 (+0,5)	449-2818 (+0,5)	8001 198 10050 (+0,5)	
	C7.1	415-4315 (STD)	40 403 600 (STD)	276-7476 (STD)	8001 198 10000 (STD)	
	370-7998 (STD)					
	380-4848 (+0,5)	40 403 610 (+0,5)	380-2065 (+0,5)	8001 198 10050 (+0,5)		

All content including pictures and diagrams is subject to change. For assignment and replacement, refer to the current catalogues or systems based on TecAlliance.

* The reference numbers given are for comparison purposes only and must not be used on invoices to the consumer.

HEADQUARTERS:

MS Motorservice International GmbH

Wilhelm-Maybach-Straße 14–18

74196 Neuenstadt, Germany

www.ms-motorservice.com

www.ms-motorservice.com

© MS Motorservice International GmbH – FL 1910-02 – EN – 12/19 (032022)